





SYSTEM
CASEMENT 50MM
3 CHAMBERS

Eco-smart 50 mm



Technical Specifications

- 1- Profile width : **50mm**
due To european Thickness Standard.
IT'S stronger and more support
- 2- Number of chambers : **3**
with perfect water drainage chanel which
provide great isolation for sound and heat
- 3- gasket type : **TPE/TPV**
different color available with
white , Beige and Lamination Profile
- 4- Glass Thickness (mm): **6mm - 20mm Suitable**
for use with single glass and double glass beads.
- 5-High quality raw materials offer long-lasting resistance
- 6- Suitable For all local and international accessories
which FITS perfect


المواصفات الفنية

- 1 - عرض القطاع: **50 مم** وفقاً لمعيار السماكة الأوروبي. و يتميز بالقوة وقدرة كبيرة على التحمل.
- 2 - عدد الغرف : **3** مزودة بقنوات تصريف مياه مثالية توفر عزلاً كبيراً للصوت والحرارة.
- 3 - نوع الجوانات: **TPE/TPV** ألوان مختلفة متاحة من الأبيض والبيج والتغليف.
- 4 - سُمك الزجاج (مم): **6 مم - 20 مم** مناسب للاستخدام مع زجاجي فردي ومزدوج.
- 5 - خامات أولية ممتازة تمنح متانة طويلة الأمد
- 6 - مناسب لجميع الإكسسوارات المحلية والدولية بشكل مثالي


COLOR OPTIONS




Profile Drawings 50 mm Casement System




50 Renovation Frame
حلق مفصلي ببار
5 سم بالكاوتش




50 Frame
حلق مفصلي بدون بار




50 Mullion
سقاس مفصلي




50 Sash ▼
ضلفة شباك مفصلي




50 Door Sash
ضلفة باب مفصلي



50 Moveable Mullion
بوكلير مفصلي



50 Double Glassbead
باكتة دبل



50 Single Glassbead
باكتة سنجل

50 Casement System

Casement interior 2 sashes window

