



SYSTEM
SLIDING 88MM
5 CHAMBERS

Eco-view 88 mm



Technical Specifications

- 1- Profile width : **88mm**
due To european Thickness Standard.
IT'S stronger and more support
- 2- Number of chambers : **5**
with perfect water drainage chanel which
provide great isolation for sound and heat
- 3- gasket type : **TPE/TPV**
different color available with
white , Beige and Lamination Profile
- 4- Glass Thickness (mm): **6mm - 20mm Suitable**
for use with single glass and double glass beads.
- 5- High quality raw materials offer long-lasting resistance
- 6- Suitable For all local and international accessories
which FITS perfect

المواصفات الفنية


- 1 - عرض القطاع: **88 مم** وفقاً لمعيار السماكة الأوروبي. و يتميز بالقوة وقدرة كبيرة على التحمل.
- 2 - عدد الغرف : **5** مزودة بقنوات تصريف مياه مثالية توفر عزلا كبيرا للصوت والحراره.
- 3 - نوع الجوانات: **TPE/TPV** ألوان مختلفة متاحة من الأبيض والبيج والتغليف.
- 4 - سُمك الزجاج (مم): **6 مم - 20 مم** مناسب للاستخدام مع زجاجي فردي ومزدوج.
- 5 - خامات أولية ممتازة تمنح متانة طويلة الأمد
- 6 - مناسب لجميع الإكسسوارات المحلية والدولية بشكل مثالي

COLOR OPTIONS




Profile Drawings


Sliding window 88mm




88 Sliding pervaz Frame




88 Sliding Frame




88 Sliding Sash




88 Interlock



88 Mosquito sash




88 Double Glassbead




88 Single Glassbead

88 Casement System Cross section


1 Sliding Window



1



2



3

4

5